

L Number	Hits	Search Text	DB	Time stamp
4	1889	((rods or tubes or cylinders) with (sleeves or coupl\$4)) with (press adj fit\$4 or press near fit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 12:19
5	15	((rods or tubes or cylinders) with (sleeves or coupl\$4)) with (press adj fit\$4 or press near fit\$4)) and ((slant\$3 or bevel\$2 or oblique) adj (edges or sides))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 12:45
6	2487	((rods or tubes or cylinders) with (sleeves or coupl\$4)).ab. and (press adj fit\$4 or press near fit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 12:25
7	1277	((rods or tubes or cylinders) with (sleeves or coupl\$4) and (press adj fit\$4 or press near fit\$4)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 12:26
8	521	((rods or tubes or cylinders) with (sleeves or coupl\$4) with (press adj fit\$4 or press near fit\$4)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 12:53
9	10	((rods or tubes or cylinders) with (sleeves or coupl\$4) with (press adj fit\$4 or press near fit\$4)).ab. and ((bevel\$2 or oblique or slant\$3 or slop\$3) with (edges or sides))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 12:28
10	11	((rods or tubes or cylinders) with (sleeves or coupl\$4) with (press adj fit\$4 or press near fit\$4)).ab. and ((bevel\$2 or oblique or slant\$3 or slop\$3) same (edges or sides))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 12:29
11	1	((rods or tubes or cylinders) with (sleeves or coupl\$4) with (press adj fit\$4 or press near fit\$4)).ab. and ((bevel\$2 or oblique or slant\$3 or slop\$3) same (edges or sides))) not ((rods or tubes or cylinders) with (sleeves or coupl\$4) with (press adj fit\$4 or press near fit\$4)).ab. and ((bevel\$2 or oblique or slant\$3 or slop\$3) with (edges or sides)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 12:29
12	2	((rods or tubes or cylinders) with (sleeves or coupl\$4) with (press adj fit\$4 or press near fit\$4)).ab.) and ((slant\$3 or bevel\$2 or oblique or slop\$3) adj (edges or sides))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 12:57
13	2	((rods or tubes or cylinders) with (sleeves or coupl\$4) with (press adj fit\$4 or press near fit\$4)).ab.) and ((slant\$3 or bevel\$2 or oblique or slop\$3) near (edges or sides))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 12:46
14	10	((rods or tubes or cylinders) with (sleeves or coupl\$4) with (press adj fit\$4 or press near fit\$4)).ab.) and ((slant\$3 or bevel\$2 or oblique or slop\$3) with (edges or sides))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 12:51
15	0	((rods or tubes or cylinders) with (sleeves or coupl\$4) with (press adj fit\$4 or press near fit\$4)).ab.) and ((slant\$3 or bevel\$2 or oblique or slop\$3) with (edges or sides))) not ((rods or tubes or cylinders) with (sleeves or coupl\$4) with (press adj fit\$4 or press near fit\$4)).ab. and ((bevel\$2 or oblique or slant\$3 or slop\$3) with (edges or sides)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 12:51

16	11	((rods or tubes or cylinders) with (sleeves or coupl\$4) with (press adj fit\$4 or press near fit\$4)).ab.) and ((slant\$3 or bevel\$2 or oblique or slop\$3) same (edges or sides))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/30 12:52
17	15	((rods or tubes or cylinders) with (sleeves or coupl\$4) with (press adj fit\$4 or press near fit\$4)).ab.) and ((slant\$3 or bevel\$2 or oblique or slop\$3) and (edges or sides))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/30 12:52
18	48	((rods or tubes or cylinders) with (sleeves or coupl\$4) with (press adj fit\$4 or press near fit\$4)).ab.) and (process or procedure or method).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/30 12:53
19	42122	((slant\$3 or bevel\$2 or oblique or slop\$3) adj (edges or sides))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/30 12:59
20	9451	((slant\$3 or bevel\$2 or oblique or slop\$3) adj (edges or sides)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/30 14:01
21	156	((slant\$3 or bevel\$2 or oblique or slop\$3) adj (edges or sides)).ab.) and ((rod or pipe or tube or cylinder) and (sleeve or coupl\$4)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/30 13:25
22	7	((slant\$3 or bevel\$2 or oblique or slop\$3) adj (edges or sides) adj (sleeve or coupl\$3)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/30 13:41
23	1629	((slant\$3 or bevel\$2 or oblique or slop\$3) with (edges or sides) with (sleeve or coupl\$3)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/30 13:41
24	24	((slant\$3 or bevel\$2 or oblique or slop\$3) near (edges or sides) near (sleeve or coupl\$3)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/30 13:42
25	17	((slant\$3 or bevel\$2 or oblique or slop\$3) near (edges or sides) near (sleeve or coupl\$3)).ab.) not ((slant\$3 or bevel\$2 or oblique or slop\$3) adj (edges or sides) adj (sleeve or coupl\$3)).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/30 13:42
26	108	((slant\$3 or bevel\$2 or oblique or slop\$3) near (edges or sides) near (sleeve or coupl\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/30 13:49
27	84	((slant\$3 or bevel\$2 or oblique or slop\$3) near (edges or sides) near (sleeve or coupl\$3)) not ((slant\$3 or bevel\$2 or oblique or slop\$3) near (edges or sides) near (sleeve or coupl\$3)).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/30 13:49
28	6246	((slant\$3 or bevel\$2 or oblique or slop\$3) with (edges or sides) with (sleeve or coupl\$3 or member or work-piece)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/30 14:21
29	10	((slant\$3 or bevel\$2 or oblique or slop\$3) with (edges or sides) with (sleeve or coupl\$3 or member or work-piece) with (press near fit\$4)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/30 14:22

37	14	((member or work-piece) near (bevel or oblique or slant\$3 or slop\$3) near edge).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/30 14:50
----	----	---	---	---------------------